


WHAT IS CLAIMED IS:

1. A composition comprising:

a) a compound having the structural formula:




wherein R is a C₁₋₂₀ alkyl which may be substituted or unsubstituted or an unsaturated free radical-curing group;

R¹ is hydrogen or a C₁₋₆ hydrocarbon radical; R² is a hydrolyzable group; X is oxygen,

$\begin{array}{c} \text{---N---} \\ | \\ \text{R}^3 \end{array}$; R³ is H or C₁₋₁₂ hydrocarbyl group; and

b) a polymer having the structure formula:



wherein A is a backbone selected from the group consisting of organic and siloxane backbones, and R^e is CH₃ or H.

2. The composition according to claim 1, wherein said curable composition is a dual cure photo/moisture curable composition.

3. The composition according to claim 2 wherein R is alkenyl, which may be substituted or unsubstituted.

4. The composition according to claim 1, wherein said curable composition is a moisture curable composition.
5. The composition according to claim 4 wherein R is a C₁₋₂₀ alkyl which may be substituted or unsubstituted.
6. The composition according to claim 4 wherein R is a methyl group.
7. The composition according to claim 1, wherein X is O.
8. The composition according to claim 1 wherein R² is an alkoxy group having the formula R⁴O— wherein R⁴ is a C₁₋₂ alkyl group.
9. The composition according to claim 1 wherein R is
$$\begin{array}{c} \text{R}^5 \\ \diagdown \\ \text{C} = \text{C} \text{---} \\ \diagup \quad | \\ \text{R}^6 \quad \text{R}^7 \end{array}$$
, and R⁵, R⁶ and R⁷ are independently selected from hydrogen, halogen and organo radicals.
10. The composition according to claim 1, wherein R is CH₃, X is O, R² is OR⁴, R⁴ is a C₁₋₂ alkyl group R¹ is hydrogen or a C₁₋₆ hydrocarbyl radical.
11. The composition of claim 1, further comprising a cure system.
12. The composition of claim 11, where the cure system includes a catalyst selected from the group consisting of tetraisopropyltitanate, dibutyltin dilaurate and tetramethylguanidine.
13. The composition of claim 12 wherein the cure system further includes a photoinitiator selected from the group consisting of 1-hydroxycyclohexyl phenyl ketone, 2-methyl-1-[4-(methylthio)phenyl]-2-morpholino propan-1-one, 2-benzyl-2-N,N-dimethylamino-1-(4-morpholinophenyl)-1-butanone, the combination of 1-hydroxy cyclohexyl phenyl ketone and benzophenone, 2,2-dimethoxy-2-phenyl acetophenone, the combination of bis(2,6-


dimethoxybenzoyl-2,4,4-trimethyl pentyl) phosphine oxide and 2-hydroxy-2-methyl-1-phenyl-propan-1-one, and [bis (2,4,6-trimethyl benzoyl) phenyl phosphine oxide], 2-hydroxy-2-methyl-1-phenyl-1-propan-1-one, the combination of 2,4,6-trimethylbenzoyldiphenyl-phosphine oxide and 2-hydroxy-2-methyl-1-phenyl-propan-1-one, dl-camphorquinone, alkyl pyruvates, 2,2-dimethoxy-2-phenyl acetophenone, 2-hydroxy-2-methyl-1-phenyl-1-propane, bis(2,4,6-trimethyl benzoyl) phenyl phosphine oxide, bis(2,6-dimethoxybenzoyl-2,4,4-trimethylpentyl) phosphine oxide, 2-hydroxy-2-methyl-1-phenyl-propan-1-one, bis(n^5 -2,4-cyclopentadien-1-yl)-bis[2,6-difluoro-3-(1H-pyrrol-1-yl)phenyl]titanium, diethoxyacetophenone and combinations thereof.

14. The composition of claim 1 wherein A is a siloxane.

15. The composition of claim 1 wherein formula I and formula II are present in amounts such that the resulting ratio of said hydrolyzable groups of formula I to said OH groups of formula II is 1.2.


16. A curable composition comprising the reaction product of

a) a compound having the structural formula:




wherein R is a C_{1-20} alkyl which may be substituted or unsubstituted or an unsaturated free radical-curing group;

R^1 is hydrogen or a C_{1-6} hydrocarbyl radical; R^2 is a hydrolyzable group; X is oxygen,



b) a polymer having the structure formula:



(II)


wherein A is a backbone selected from the group consisting of organic and siloxane backbones, and R^e is CH₃ or H.

17. The curable composition of claim 16 wherein said reaction product has a skin over time of about 15 minutes or less.

18. The curable composition of claim 17 wherein said skin over time is about 5 minutes or less.

19. A method of preparing a curable composition comprising the step of combining:


a) a compound having the structural formula:



(I)


wherein R is a C₁₋₂₀ alkyl which may be substituted or unsubstituted or an unsaturated free radical-curing group;

R¹ is hydrogen or a C₁₋₆ hydrocarbon radical; R² is a hydrolyzable group; X is oxygen,



; R³ is H or C₁₋₁₂ hydrocarbyl group; and

b) a polymer having the structure formula:



(II)

wherein A is a backbone selected from the group consisting of organic and siloxane backbones, and R^c is CH₃ or H.

20. The method of claim 19, further including the step of incorporating a curing system.